

TEST REPORT

Company:	Numo Manufacturing	Test Report #	16H-00120(R1)
Recipient:	Rebecca Williams	Date of Issue:	January 19, 2016
Recipient Email:	rwilliams@numomfg.com	Pages:	Page 1 of 7
cc to Email:	-	Date Received:	January 11, 2016

SAMPLE INFORMATION:

Description:	Desk Accessories ~ Stapler, Pen cup, Tray, Tape Dispenser		
Assortment:	-	Purchase Order Number:	-
SKU/style No.:	-	Toy Co./Agency:	-
Factory/Supplier/Vendor:	Numo Manufacturing	†Country of Origin:	China
Country of Distribution:	United States	Labeled Age Grade:	-
Quantity Submitted:	1 pc per style	Recommended Age Grade:	-
Testing Period:	01/11/2016 – 01/14/2016	Tested Age Grade:	-

OVERALL RESULT:

PASS

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	Client's Requirement, Total Cadmium in Substrate Materials
PASS	CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Remark:

†Revised information and supersedes the previous Report no. 16H-00120.

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit
Manager, Chemical Laboratory

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: Numo Manufacturing
 Recipient: Rebecca Williams
 Recipient Email: rwilliams@numomfg.com
 cc to Email: -

Test Report # 16H-00120(R1)
 Date of Issue: January 19, 2016
 Pages: Page 2 of 7
 Date Received: January 11, 2016

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1+2+3	4+5+6	7	8	9	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	10	11	12	13	14	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	15	16	17	18	19	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: Numo Manufacturing
 Recipient: Rebecca Williams
 Recipient Email: rwilliams@numomfg.com
 cc to Email: -

Test Report # 16H-00120(R1)
 Date of Issue: January 19, 2016
 Pages: Page 3 of 7
 Date Received: January 11, 2016

DETAILED RESULTS:

Client's Requirement, Total Cadmium in Substrate Materials

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: ASTM F963-11 Clause 8.3.1]

Specimen No.	1+2+3	4+5+6	7	8	9	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Cd	ND	ND	ND	ND	ND	40
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	10	11	12	13	14	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Cd	ND	ND	ND	ND	ND	40
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	15	16	17	18	19	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Cd	ND	ND	ND	ND	ND	40
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

Cd = Cadmium

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company:	Numo Manufacturing	Test Report #	16H-00120(R1)
Recipient:	Rebecca Williams	Date of Issue:	January 19, 2016
Recipient Email:	rwilliams@numomfg.com	Pages:	Page 4 of 7
cc to Email:	-	Date Received:	January 11, 2016

DETAILED RESULTS:

CPSIA Section 108, Phthalates – Mouthable (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1+2+3	4+5+6	7	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	---	---	1000
BBP	ND	ND	ND	---	---	1000
DEHP	ND	ND	ND	---	---	1000
DnOP	ND	ND	ND	---	---	1000
DINP	ND	ND	ND	---	---	1000
DIDP	ND	ND	ND	---	---	1000
Conclusion	PASS	PASS	PASS	---	---	

Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate

DnOP = Di-n-octyl phthalate; DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate

ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 120ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: Numo Manufacturing
 Recipient: Rebecca Williams
 Recipient Email: rwilliams@numomfg.com
 cc to Email: -

Test Report # 16H-00120(R1)
 Date of Issue: January 19, 2016
 Pages: Page 5 of 7
 Date Received: January 11, 2016

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1+2+3	4+5+6	7	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	---	---	1000
BBP	ND	ND	ND	---	---	1000
DEHP	ND	ND	ND	---	---	1000
DINP	ND	ND	ND	---	---	1000
DIDP	ND	ND	ND	---	---	1000
DnHP	ND	ND	ND	---	---	1000
Conclusion	PASS	PASS	PASS	---	---	

Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate
 DINP = Diisononyl phthalate, DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate
 ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)
 LT = Less than

ND = Not detected (Reporting Limit = 120ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: Numo Manufacturing
 Recipient: Rebecca Williams
 Recipient Email: rwilliams@numomfg.com
 cc to Email: -

Test Report # 16H-00120(R1)
 Date of Issue: January 19, 2016
 Pages: Page 6 of 7
 Date Received: January 11, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Purple plastic	Body (pen cup style)
2	Yellow plastic	Body (tray style)
3	Red plastic	Body/ replacement core (tape dispenser style)
4	Black plastic	Base (tape dispenser style)
5	White plastic	Body (stapler style)
6	Dull white plastic	Axis of handle of handle (stapler style)
7	Black foam with adhesive	Pad (pen cup/ tape dispenser styles)
8	Silvery metal	Teeth (tape dispenser style)
9	Dull silvery metal	Crimp area (stapler style)
10	Bright silvery metal	Front clip of carrier of stapler (stapler style)
11	Shiny silver metal	Carrier (stapler style)
12	Matt silvery metal	Pusher (stapler style)
13	Light silvery metal	Axis (stapler style)
14	Deep silvery metal	Spring of pusher of stapler (stapler style)
15	Soft silvery metal	Handle (stapler style)
16	Dull matt silvery metal	Spring of handle of stapler (stapler style)
17	Bright soft silvery metal	Hammer of stapler (stapler style)
18	Off silvery metal	Screw of plate of base (stapler style)
19	Flat silvery metal	Plate of base (stapler style)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: Numo Manufacturing
Recipient: Rebecca Williams
Recipient Email: rwilliams@numomfg.com
cc to Email: -

Test Report # 16H-00120(R1)
Date of Issue: January 19, 2016
Pages: Page 7 of 7
Date Received: January 11, 2016

SAMPLE PHOTO:



-End Report-

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.