



QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

CLIENT : [REDACTED]
 VENDOR : [REDACTED]
 FACTORY : -
 JOB NO. : 9027
 ITEM NO. : VARIOUS
 DESCRIPTION : 8 KINDS OF MUGS
 SAMPLE RESOURCE : VENDOR
 COUNTRY OF ORIGIN : CHINA
 GOODS EXPORTED TO : U.S.A
 SERVICE LOCATION : [REDACTED] CHINA
 RECEIVED DATE : 2006 SEPTEMBER 22

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGES.

<u>TESTED SAMPLES</u>	<u>TESTING METHOD</u>	<u>COMMENT</u>
7168-2/96	CALIFORNIA PROPOSITION 65	PASS
7168-11	TOTAL ACETIC ACID IMMERSION TEST	PASS
7168-07		PASS
7168-06		PASS
7168-43		PASS
7168-01		PASS
7168-67		PASS
7168-04		PASS

TO BE CONTINUED

Authorized by:
For Q.A.International China Laboratory

Warren Wang
Supervisor



QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

CLIENT : [REDACTED]
 VENDOR : [REDACTED]
 FACTORY : -
 JOB NO. : 9027
 ITEM NO. : VARIOUS
 DESCRIPTION : 8 KINDS OF MUGS
 SAMPLE RESOURCE : VENDOR
 COUNTRY OF ORIGIN : CHINA
 GOODS EXPORTED TO : U.S.A
 SERVICE LOCATION : [REDACTED] CHINA
 RECEIVED DATE : 2006 SEPTEMBER 22

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGES.

<u>TESTED SAMPLES</u>	<u>TESTING METHOD</u>	<u>COMMENT</u>
7168-2/96	CALIFORNIA PROPOSITION 65	PASS
7168-11	TOTAL ACETIC ACID IMMERSION TEST	PASS
7168-07		PASS
7168-06		PASS
7168-43		PASS
7168-01		PASS
7168-67		PASS
7168-04		PASS

TO BE CONTINUED

Authorized by:
For Q.A.International China Laboratory

Warren Wang
Supervisor



QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

1 CA PROP 65 - EXTRACTABLE LEAD & CADMIUM (TOTAL ACETIC ACID IMMERSION)

AS PER AMERICAN SOCIETY FOR TESTING MATERIALS (ASTM) METHOD C927-99 (2004)
MODIFIED FOR TOTAL ACETIC ACID IMMERSION TEST

RESULT:

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
A: 7168-2/96 -- WHITE & RED	#1	0.188	0.06	PASS
	#2	0.249	0.07	
	#3	0.212	0.04	
	#4	0.226	0.05	
	#5	0.214	0.05	
	#6	0.197	0.05	
B: 7168-11 -- GREEN	#1	0.02	<0.01	PASS
	#2	0.02	<0.01	
	#3	0.01	<0.01	
	#4	<0.01	<0.01	
	#5	0.01	<0.01	
	#6	<0.01	<0.01	
C: 7168-07 -- APRICOT YELLOW	#1	<0.01	<0.01	PASS
	#2	0.01	<0.01	
	#3	<0.01	<0.01	
	#4	0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
D: 7168-06 -- OCEAN BLUE	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	

TO BE CONTINUED

Page 2 of 5

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

QAI China Laboratory

East Region, Floor 2, Baoting Industrial District, No. 531 Jiaogong Road, Hangzhou, Zhejiang, China.
Tel: 86-571-88907033 Fax: 86-571-88905288, Postcode: 310012



QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

CONTINUED

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
E: 7168-43 -- BURGUNDY		<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
F: 7168-01 -- NATURAL	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
G: 7168-67 -- HUNTER GREEN	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
H: 7168-04 -- COBALT BLUE	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	

TO BE CONTINUED

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

PHOTO ATTACHMENT



7168-2/96(White & red)



7168-11(Green)



7168-07(Apricot yellow)



7168-06(Ocean blue)



7168-43(Burgundy)



7168-01(Natural)

TO BE CONTINUED

PHOTO ATTACHMENT



7168-67(Hunter green [REDACTED])

7168-04(Cobalt blue)

END OF EREPORT





QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

CLIENT : [REDACTED]
 VENDOR : [REDACTED]
 FACTORY : -
 JOB NO. : 9027
 ITEM NO. : VARIOUS
 DESCRIPTION : 8 KINDS OF MUGS
 SAMPLE RESOURCE : VENDOR
 COUNTRY OF ORIGIN : CHINA
 GOODS EXPORTED TO : U.S.A
 SERVICE LOCATION : [REDACTED] CHINA
 RECEIVED DATE : 2006 SEPTEMBER 22

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGES.

<u>TESTED SAMPLES</u>	<u>TESTING METHOD</u>	<u>COMMENT</u>
7168-2/96	CALIFORNIA PROPOSITION 65	PASS
7168-11	TOTAL ACETIC ACID IMMERSION TEST	PASS
7168-07		PASS
7168-06		PASS
7168-43		PASS
7168-01		PASS
7168-67		PASS
7168-04		PASS

TO BE CONTINUED

Authorized by:
For Q.A.International China Laboratory

Warren Wang
Supervisor



QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

1 CA PROP 65 - EXTRACTABLE LEAD & CADMIUM (TOTAL ACETIC ACID IMMERSION)

AS PER AMERICAN SOCIETY FOR TESTING MATERIALS (ASTM) METHOD C927-99 (2004) MODIFIED FOR TOTAL ACETIC ACID IMMERSION TEST

RESULT:

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
A: 7168-2/96 -- WHITE & RED	#1	0.188	0.06	PASS
	#2	0.249	0.07	
	#3	0.212	0.04	
	#4	0.226	0.05	
	#5	0.214	0.05	
	#6	0.197	0.05	
B: 7168-11 -- GREEN	#1	0.02	<0.01	PASS
	#2	0.02	<0.01	
	#3	0.01	<0.01	
	#4	<0.01	<0.01	
	#5	0.01	<0.01	
	#6	<0.01	<0.01	
C: 7168-07 -- APRICOT YELLOW	#1	<0.01	<0.01	PASS
	#2	0.01	<0.01	
	#3	<0.01	<0.01	
	#4	0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
D: 7168-06 -- OCEAN BLUE	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	

TO BE CONTINUED

Page 2 of 5

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

QAI China Laboratory

East Region, Floor 2, Baoting Industrial District, No. 531 Jiaogong Road, Hangzhou, Zhejiang, China.
Tel: 86-571-88907033 Fax: 86-571-88905288, Postcode: 310012



**QAI CHINA
TESTING REPORT**

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

CONTINUED

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
E: 7168-43 -- BURGUNDY		<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
F: 7168-01 -- NATURAL	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
G: 7168-67 -- HUNTER GREEN	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
H: 7168-04 -- COBALT BLUE	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	

TO BE CONTINUED

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

PHOTO ATTACHMENT



7168-2/96(White & red)



7168-11(Green)



7168-07(Apricot yellow)



7168-06(Ocean blue)



7168-43(Burgundy)



7168-01(Natural)

TO BE CONTINUED

PHOTO ATTACHMENT



7168-67(Hunter green [REDACTED])

7168-04(Cobalt blue)

END OF EREPORT



Revision 0



Request: COM06-I-2405
 Project: 6774.097
 PO#: 110706-MW
 Received: 11/08/06
 Completed: 11/14/06

Page 1 of 2

Lead and Cadmium Release from Total Immersion of Ceramic Ware Decorated Externally with Ceramic Glass Enamels

Sample Identification: Cobalt Blue Coffee Mug

Reporting Limit (Operational)	Pb	0.10 µg/mL	Reagent Blank	Pb	<0.10 µg/mL
	Cd	0.010 µg/mL		Cd	<0.010 µg/mL

Average Internal Volume: 310 mL

Volume of Leaching Solution: 1,275 mL

<u>Sample Number</u>	<u>Sample Identification</u>	<u>µg/mL Pb</u>	<u>Total µg Pb</u>	<u>ppm Pb Relative to Internal Volume</u>
062405-01	7168-04 (1)	0.15	190	0.62
062405-02	7168-04 (2)	0.13	170	0.53
062405-03	7168-04 (3)	0.11	140	0.45
062405-04	7168-04 (4)	0.14	180	0.58
062405-05	7168-04 (5)	0.10	130	0.41
062405-06	7168-04 (6)	0.11	140	0.45
			average	0.51

<u>Sample Number</u>	<u>Sample Identification</u>	<u>µg/mL Cd</u>	<u>Total µg Cd</u>	<u>ppm Cd Relative to Internal Volume</u>
062405-01	7168-04 (1)	0.017	22	0.070
062405-02	7168-04 (2)	0.014	18	0.058
062405-03	7168-04 (3)	0.010	13	0.041
062405-04	7168-04 (4)	0.015	19	0.062
062405-05	7168-04 (5)	<0.010	<13	<0.041
062405-06	7168-04 (6)	0.013	17	0.053

Revision 0

Request: COM06-I-2405
Completed: 11/14/06

Page 2 of 2

Per customer request, all samples were tested according to ASTM C927-80 (2004) with the following modifications:

- The entire container was immersed for extraction rather than just the lip and rim area.

Reference:


IN175/68

Prepared By:


Date:

Reviewed/Approved By:

Date:


Jennifer L. Braun

11/14/06


Neal T. Nichols

11-14-06

Project Leader, Materials Testing

Manager, Materials Testing

Thank you for using WEST MONARCH Analytical Laboratories.

Revision 0

Request: COM07-I-0818
Project: 6774.106
PO#: 052107-MW/2
Received: 05/23/07
Completed: 05/25/07

Page 1 of 2

Lead and Cadmium Release from Total Immersion of Ceramic Ware Decorated Externally with Ceramic Glass Enamels

Sample Identification: White Ceramic Mug 7168-02

Reporting Limit (Operational)	Pb	0.10 µg/mL	Reagent Blank	Pb	<0.10 µg/mL
	Cd	0.010 µg/mL		Cd	<0.010 µg/mL

Average Internal Volume: 297 mL

Volume of Leaching Solution: 1,250 mL

<u>Sample Number</u>	<u>µg/mL Pb</u>	<u>Total µg Pb</u>	<u>ppm Pb Relative to Internal Volume</u>
070818-01	<0.10	<130	<0.42
070818-02	<0.10	<130	<0.42
070818-03	<0.10	<130	<0.42
070818-04	<0.10	<130	<0.42
070818-05	<0.10	<130	<0.42
070818-06	<0.10	<130	<0.42

<u>Sample Number</u>	<u>µg/mL Cd</u>	<u>Total µg Cd</u>	<u>ppm Cd Relative to Internal Volume</u>
070818-01	<0.010	<13	<0.042
070818-02	<0.010	<13	<0.042
070818-03	<0.010	<13	<0.042
070818-04	<0.010	<13	<0.042
070818-05	<0.010	<13	<0.042
070818-06	<0.010	<13	<0.042

Per customer request, all samples were tested according to ASTM C927-80 (2004) with exception that the entire container was immersed for extraction rather than just the lip and rim area.

Revision 0

Request: COM07-I-0818
Completed: 05/25/07

Page 2 of 2

Reference:


IN185/39

Prepared By:

Date:

Reviewed/Approved By:


Date:



05/25/07

Jennifer L. Braun

Project Leader, Materials Testing



05/25/07

Neal T. Nichols

Manager, Materials Testing

Thank you for using WEST MONARCH Analytical Laboratories.



QAI CHINA
TESTING REPORT

JOB NO.: 9027

REPORT NO.: QAI063184-R

DATE: 2006 November 16

TEST REPORT

CLIENT : [REDACTED]
 VENDOR : [REDACTED]
 FACTORY : -
 JOB NO. : 9027
 ITEM NO. : 7168-05
 DESCRIPTION : BLACK COFFEE MUGS
 SAMPLE RESOURCE : VENDOR
 COUNTRY OF ORIGIN : CHINA
 GOODS EXPORTED TO : U.S.A
 SERVICE LOCATION : [REDACTED] CHINA
 RECEIVED DATE : 2006 OCTOBER 16
 REMARK : THIS REPORT SUPERSEDES THE TEST REPORT NO.QAI063184
 ISSUED ON 2006 OCT 20

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGES.

<u>TESTED SAMPLES</u>	<u>TESTING METHOD</u>	<u>COMMENT</u>
7168-05	CALIFORNIA PROPOSITION 65 TOTAL ACETIC ACID IMMERSION TEST	PASS

TO BE CONTINUED

Authorized by:
For Q.A.International China Laboratory

Warren Wang
Supervisor

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

TEST REPORT


1 CA PROP 65 - EXTRACTABLE LEAD & CADMIUM (TOTAL ACETIC ACID IMMERSION)

AS PER AMERICAN SOCIETY FOR TESTING MATERIALS (ASTM) METHOD C927-99 (2004) MODIFIED FOR TOTAL ACETIC ACID IMMERSION TEST

RESULT:

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
7168-05 -- BLACK COFFEE MUGS	#1	0.04	<0.01	PASS
	#2	0.03	<0.01	
	#3	0.02	<0.01	
	#4	0.03	<0.01	
	#5	0.02	<0.01	
	#6	0.03	<0.01	

PHOTO ATTACHMENT



END OF REPORT

Page 2 of 2

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

QAI China Laboratory

East Region, Floor 2, Baoting Industrial District, No. 531 Jiaogong Road, Hangzhou, Zhejiang, China.
Tel: 86-571-88907033 Fax: 86-571-88905288. Postcode: 310012



QAI CHINA TESTING REPORT

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

1 CA PROP 65 - EXTRACTABLE LEAD & CADMIUM (TOTAL ACETIC ACID IMMERSION)

AS PER AMERICAN SOCIETY FOR TESTING MATERIALS (ASTM) METHOD C927-99 (2004)
MODIFIED FOR TOTAL ACETIC ACID IMMERSION TEST

RESULT:

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
A: 7168-2/96 -- WHITE & RED	#1	0.188	0.06	PASS
	#2	0.249	0.07	
	#3	0.212	0.04	
	#4	0.226	0.05	
	#5	0.214	0.05	
	#6	0.197	0.05	
B: 7168-11 -- GREEN	#1	0.02	<0.01	PASS
	#2	0.02	<0.01	
	#3	0.01	<0.01	
	#4	<0.01	<0.01	
	#5	0.01	<0.01	
	#6	<0.01	<0.01	
C: 7168-07 -- APRICOT YELLOW	#1	<0.01	<0.01	PASS
	#2	0.01	<0.01	
	#3	<0.01	<0.01	
	#4	0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
D: 7168-06 -- OCEAN BLUE	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	

TO BE CONTINUED

Page 2 of 5

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

QAI China Laboratory

East Region, Floor 2, Baoting Industrial District, No. 531 Jiaogong Road, Hangzhou, Zhejiang, China.
Tel: 86-571-88907033 Fax: 86-571-88905288, Postcode: 310012



**QAI CHINA
TESTING REPORT**

JOB NO.: 9027

REPORT NO. : QAI063164

DATE: 2006 September 28

TEST REPORT

CONTINUED

CLASSIFICATION:		MUG		
ELEMENT:		LEAD	CADMIUM	
MAXIMUM ALLOWABLE LIMIT: Any one of 6 units		0.99 ppm	7.92 ppm	
SAMPLE DESCRIPTION	SPECIMEN	RESULT (ppm)		COMMENT
E: 7168-43 -- BURGUNDY		<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
F: 7168-01 -- NATURAL	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
G: 7168-67 -- HUNTER GREEN	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	
H: 7168-04 -- COBALT BLUE	#1	<0.01	<0.01	PASS
	#2	<0.01	<0.01	
	#3	<0.01	<0.01	
	#4	<0.01	<0.01	
	#5	<0.01	<0.01	
	#6	<0.01	<0.01	

TO BE CONTINUED

This Test Report is issued by QAI subject to its General Conditions of Service printed overleaf or attached. Attention is drawn to the limitations of liability, indemnification and jurisdiction policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This document shall not be replicated either in full or in part except with written approval by QAI.

PHOTO ATTACHMENT



7168-2/96(White & red)



7168-11(Green)



7168-07(Apricot yellow)



7168-06(Ocean blue)



7168-43(Burgundy)



7168-01(Natural)

TO BE CONTINUED

PHOTO ATTACHMENT



7168-67(Hunter green [REDACTED])

7168-04(Cobalt blue)

END OF EREPORT

